

Coral Pure Premium 9 Slim/ H Series User Guide




WATER QUALITY

- 00001 Micron Reverse Osmosis Filtration Technology
- Remineralisation & Antioxidant Hydrogen Water
- Heavy Metals, Fluoride, Harmful Chemicals, and Toxic TDS Removal
- In Compliance with NSF ANSI 58
- Tested and Certified by SGS and TÜV Singapore

Features of Dispenser

- ✓ Slim Design - 18cm Width
- ✓ TDS Indicator / Filter Change Indicator
- ✓ Instant Hot Dispenser / Power Saving (no Reboiling)
- ✓ 7 Preset Temperatures (Ambient, 45, 55, 75, 85, 90 & 100)
- ✓ 3 Preset Dispensing Volumes (250ml, 500ml, 1000ml)
- ✓ Auto Safety Lock
- ✓ Heavy Duty Filters
- ✓ Low Maintenance Cost (Change of Filters Annually)

Display Panel



Points to note for new users:

- 1) Flush at least 3-4 litres of water out every morning (for 1-2 weeks) before use as the new filters need time to run in, in order to give you the best taste and smoothness. It is safe to drink even without flushing, only that the taste is not yet premium*. The flushed out water can be used for washing face, hair, and food preparation. The whole set of filters are assembled in our factory and have run-in for at least 3-4 hours, and it is safe for drinking. Only the taste will not be the best until it is fully run-in after 1-2 weeks of constant flushing.

Additional info: For normal cheap filters or entry-level water systems, the flushing can be done within a few minutes, and it will be fully run-in.

For our Premium 9 series, more effort by users is needed to flush during the first 1-2 weeks, but enjoy the highest quality water throughout the next 12 months.

***The strong taste is mainly due to the strong concentration of dissolved hydrogen in the big filters. It also brings tonnes of health benefits.**

Hydrogen water benefits: <https://www.coralpurenatural.sg/hydrogen-water-dispenser/>

- 2) Ignore the ppm reading at the top left-hand corner as it is only relevant to the technician during installation and filter change.
- 3) The dispensing volume will have a ± 50 ml in view of the hydrogen water molecules.

The front nozzle may also release some water when left unused for several hours due to accumulated hydrogen pressure.

Some vibrating sound from dispenser is also expected when dispensing or when the machine is making water.

- 4) For safety, machine will only dispense room temperature water when it is just turned on (i.e dispense 5 x 250ml room temperature water prior to dispensing hot water)
- 5) When 'E2' Code appears, ensure valve is turned on, wait for about 2mins for water to generate.

Warranty and Care for Machine

- 1) Do not leave machine under direct sunlight or near any heat source.
- 2) After turning off power supply, allow minimum 15 sec before turning on power supply.
- 3) Keep dispenser clean and wipe using damp cloth. Do not use any chemicals or soak machine in water.
- 4) Do not touch the water sensor or connecting points to prevent damage.
- 5) Do not shift or shake the dispenser unnecessarily.
- 6) Do not use multiplug or extension chord to supply the power.
- 7) For safety, turn off main water input from tap and power supply if not using water purifier for more than 24hrs.
- 8) For safety, machine will only dispense room temperature water when it is just turned on (i.e dispense 5 x 250ml room temperature water prior to dispensing hot water).
- 9) 12 months warranty on electrical parts. Life-time warranty on non-electrical parts, subject to yearly servicing carried out timely. Transportation and labour costs apply from 13th month onwards for any repair works.
- 10) Filter change is required:
 - a) P9H: Every 5800 Litres drinking water/ 6800 Litres purified washing water or 12 months, whichever comes first.
 - b) P9 Slim: 7800 Litres drinking water or 12 months, whichever comes first.
 - c) P9 Slim Plus and P9 H Plus, 10 000 Litres drinking or 10000 Litres Purified washing water or 12 months, whichever earlier.
- 11) When traveling overseas (not in use for more than 72 hours):

For all dispensers, first turn off water supply (usually found undersink) and dispense water till 'E2' appears, then **turn off dispenser power supply and undersink power if any.**

When back from overseas, turn on all power and water supply, wait for machine to make water (approx. 5min).

Flush purified washing water for 3-5mins (P9 Slim Plus and H Series).

Flush out minimum 3 litres of water continuously from dispenser to improve the taste of water.

For safety, machine will only dispense room temperature water when it is just turned on (i.e dispense 5 x 250ml room temperature water prior to dispensing hot water).